
PRESTIGE GRF

Floorstanding 12" Dual Concentric HiFi Loudspeaker (Oiled Walnut)

- 2 way floor-standing high-end loudspeaker for large sized rooms
- Dual Concentric driver technology provides class-leading coherence and point-source imaging
- 12" highly efficient driver with 560
 Watt peak power handling delivers
 breath-taking dynamics and realism
- PepperPot WaveGuide powered by TANNOY Alnico magnet system enhances the point source symmetrical dispersion properties
- Aluminium-magnesium alloy diaphragm and Mylar surround compression driver delivers exceptional articulation throughout the high frequency range
- Handcrafted oiled walnut veneered cabinet provides a unique and timeless piece of furniture
- Specially treated crossovers featuring ICW ClarityCap* capacitors, low loss laminated core inductors and thick film resistors delivering a more natural and cohesive sound
- Heavy duty electro-plated brass NextGen WBT* bi-wireable binding posts to improve signal transmission and integrity
- Fifth binding post provides grounding to reduce radio frequency interference and improve midrange clarity
- High density birch ply cabinet provides extreme rigidity to control low frequency performance







The Gold Reference GRF is a new permanent offering to the TANNOY Prestige range, introduced to meet unprecedented demand from dealers and customers to continue the limited edition GRF-90, which sold out in record time. Skilfully handcrafted in the U.K., the GRF boasts the same exceptional components as the GRF-90, utilising a 300 mm (12") Gold Reference Dual Concentric driver, housed in a



beautifully designed, oiled walnut cabinet. Music makes the world go round, and the GRF offers the ultimate audio experience!



Powerful and Articulate

The GRF's 12" Dual Concentric technology with its signature PepperPot WaveGuide, Alnico motor system and HF compression driver delivers a superbly dynamic overall presentation with fast, accurate bass and a fluidly open midrange. With over 90 years of engineering excellence, the TANNOY GRF driver boasts an incredible 560-Watts power handling, while offering over 95 dB efficiency.



PRESTIGE

GRF

Floorstanding 12" Dual Concentric HiFi Loudspeaker (Oiled Walnut)

- Extensive bracing incorporating DMT (Differential Materials Technology) to couple drivers to cabinets
- TANNOY 90 years of British sound heritage and innovation
- 10-Year Warranty Program*
- Designed and manufactured in the U.K.

Flawless Musical Reproduction

The crossover utilises extremely high quality components in a minimalist design that ensures the shortest possible signal path to the driver for flawless musical reproduction. Featuring TANNOY-specification ICW ClarityCap MR capacitors, low-loss laminated core inductors and thick-film resistors. This enables the GRF to achieve unparalleled gains in resolution, and deliver a more natural, cohesive sound.





Traditional Craftsmanship

In order to minimise unwanted resonance, the birch plywood cabinetry is extensively braced internally, and the twin rear ports are engineered to reduce low frequency turbulence. Meticulous hand finishing and time-honoured traditional craftsmanship are evident in the timeless beauty of the oiled walnut veneers and cabinet detail. Gold anodised machined metal trims, intricately detailed with the nostalgic lightning strike logo complement the overall stunning appearance of the GRF.





PRESTIGE

GRF

Floorstanding 12" Dual Concentric HiFi Loudspeaker (Oiled Walnut)

You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own MUSIC Tribe factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous Warranty program.





PRESTIGE

GRF

Floorstanding 12" Dual Concentric HiFi Loudspeaker (Oiled Walnut)

Technical Specifications

Performance	
Recommended amplifier power	20 - 280 Watts RMS
Continuous power handling	140 Watts RMS
Peak power handling	560 Watts
Sensitivity	95 dB (2.83 Volts @ 1 m)
Nominal impedance	8 ohm
Minimum impedance	5 ohm
Frequency response	24 Hz - 27 kHz (-6 dB)
Dispersion	90 degrees conical

Construction High density fibre board walnut veneered, with so 25 mm (2") thick front ba cross braced and heavily	olid walnut trim, affle. Internally

Dual rear ported

210 litres (7.4 cu. ft)

1240 x 550 x 465 mm

Cabinet

Volume

Enclosure type

Dimensions (H x W x D)

Dual Concentric Drive Unit	
Low frequency	300 mm (12") with paper pulp cone and twin roll impregnated fabric surround. 52 mm (2") round wire voice coil
High frequency	52 mm (2") aluminium/magnesium alloy dome with round wire voice coil

Crossover	
Туре	Bi-wired, hard wired passive, low loss.
	Time compensated. 2nd order low pass,
	2nd order high pass. Cryogenically treated
Crossover frequency	1.1 kHz
Adjustments	\pm 3 dB over 1.1 kHz to 27 kHz shelving
	+ 2 dB to -6 dB per octave over 5 kHz
	to 27 kHz slope



PRESTIGE

GRF





PRESTIGE

GRF





PRESTIGE

GRF







PRESTIGE

GRF







PRESTIGE

GRF





PRESTIGE

GRF





PRESTIGE

GRF

Floorstanding 12" Dual Concentric HiFi Loudspeaker (Oiled Walnut)





For service, support or more information contact the TANNOY location nearest you:

Europe MUSIC Tribe Brands UK Ltd. Tel: +44156 273 2290 Email: CARECrea@music-group.com CAREEnte@music-group.com

CARELife@music-group.com

USA/Canada MUSIC Tribe Commercial NV Inc. Tel: +1 702 800 8290 Email: CARECrea@music-group.com CAREEnte@music-group.com

CARELife@music-group.com

Japan
MUSIC Tribe Services JP K.K.
Tel: +81 3 6231 0453
Email: CARECrea@music-group.com
CARELIte@music-group.com
CARELite@music-group.com

