

## PROFESSIVE SOUND FROM SANGER SANGE



### When it's time to listen, every detail matters.

Whether in the studio, in front of a crowd, or just getting lost in the music.

That's why Shure delivers a complete range of listening options expertly crafted from nine decades of audio innovation.

From headphones engineered to deliver best-in-class sound and comfort, to earphones trusted by musicians on stages around the world, it's all about listening. And it's always personal.

#### **Electrostatic Earphone System**

## SOPHSTICATED TECHNOLOGY, HGESTFIDELITY.

Designed from years of detailed research and The exquisitely detailed frequency reproduction of advanced development, the premium KSE1500 the KSE1500 coupled with all the elegance of the Electrostatic Earphone System defines a new premium Shure fit and finish, redefines the portable standard in high-fidelity, portable listening.

listening standard sought by discerning audio enthusiasts everywhere.

The KSE1500 features the first-ever single-driver electrostatic Sound Isolating™ earphones matched to a rechargeable USB amplifier, with digital-to-audio conversion (DAC) and support for both digital/streaming and pure analog audio sources – portable or otherwise.

KSE1500



#### **Electrostatic Earphone System**

Extremely High Correlation to the Source Audio

#### SPEAKER

Single Electrostatic

#### **FEATURES**

The first application of electrostatic technology for Sound Isolating Earphones featuring a single MicroDriver design.

Each earphone features a virtually weightless, massless diaphragm, surrounded by an electrostatic field generated by back plates that manage charge oscillation.

**Extremely high correlation to the source audio** provides unmatched audio clarity and detail.

**Custom-designed Kevlar™ reinforced cable** specifically isolates each conductor.

Designed for use exclusively with the KSA1500 DAC amplifier.

**Sound Isolating™, comfortable sleeves** block up to 37 dB of ambient noise.

**Lightweight, ergonomic shape** minimizes ear fatique

#### **INCLUDES**

- Leather Amplifier Case
- 2 Rubber Security Bands
- 1/8" (3.5mm) Cable [36" (92 cm)]
- 1/8" (3.5mm) Cable [6" (15.2 cm)]
- Micro-B-to-1 ightning<sup>red</sup> Cable [8" (20.3 cm]
- Micro-B OTG Cable [8" (20.3 cm]

Made for iPhone 6 Plus, iPhone 6, iPhone 5s, iPhone 5, iPad Air 2, iPad mini 3, iPad Air, iPad mini 2, iPad (4th generation), iPad mini, iPod touch (5th generation). iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. iPad Air, iPad mini, and Lighthing are trademarks

The Shure KSE1500 Electrostatic Earphone System is compatible with Android devices that support USB Audio Class 2.0 and Micro-B OTG (On-The-Go) connectivity. Not all Android devices are compatible. Android is a trademark or Goodle Inc.



#### **SE846**



#### Crystal ClearMetallic Black

#### Sound Isolating™ Earphones

Extended high-end clarity + unparalleled low-end performance

#### SPEAKER

Quad High-Definition MicroDrivers with True Subwoofer

#### FEATURES

- Groundbreaking low-pass filter design enables the deep low-end performance of a true Subwoofer without sacrificing clarity or detail
- Adjustable frequency response for customized sound signatures; balanced, warm and bright options included
- Three-way system configuration for dedicated low, mid and high frequency distribution
- Detachable, Kevlar<sup>®</sup> reinforced cable in two lengths allows for flexible wearing options and customization

#### INCLUDES

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Road case
- Premium carrying case
- 1/4" adapter
- Airline adapter
- Volume control
- Nozzle removal key
- 2 pairs of nozzle inserts
- Polishing cloth

### MADEFORTHESIAGE READYFORANMERE

Multi Award winning Sound the perfect accompaniment for system as well as your music device.

Sound Isolating Earphones were Personal Monitor Systems to allow musicians to hear

theilsowartingperformances arphdoes on stage arenvironments. They worker by using insetting flexible steerites it to block up to 90 % of the background noise. You can concentrate on your music, whether you are on-stage, in a train, on the street of working out. At the conserve your hearing.

#### Isolation, not cancellation.



ISOLATION
Sound isolating
earphones naturally
block most background
noise for a clear,
detailed listening
experience.



#### CANCELLATION

Noise cancellation technology uses active circuitry to counteract background noise, which may introduce artifacts into your audio.

#### Detachable. Replaceable. Customizable.



Shure Sound Isolating™ Earphones feature detachable, Kevlar∘ reinforced cables that allows easy replacement or customisation.\* The formable wire ensures secure placement, and over the ear configuration keeps cables out of the way. The gold plated MMCX connector has a lock-snap mechanism allowing 360 degree rotation for comfortable fit.

#### Music + Mobile.



#### DETAILED SOUND FOR MUSIC AND CALLS

Add Music Phone Accessory Cables to convert your Shure detachable earphones into a stereo mobile headset with enhanced controls for music-enabled phones and portable devices. Two versions are available based on device compatibility.

\* SE215, SE315, SE425, SE535, SE846 only.



SE**535** 



) Metallic Bronze

#### Sound Isolating™ Earphones

Spacious sound + rich bass

#### SPEAKER

Triple High-Definition MicroDrivers

#### **FEATURES**

- Dedicated dual woofers and a single tweeter per channel for spacious soundstage and rich bass
- Internal crossover routes high and low frequencies for clarity across the audio spectrum
- Rugged and ergonomic build provides longlasting comfort and durability for on-stage or everyday use
- Detachable, Kevlare reinforced cable with wireform fit for easy replacement or customization

#### INCLUDES

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Premium carrying case
- 1/4" adapter
- Airline adapter
- Volume control





Sound Isolating™ Earphones

Metallic SilverClear

#### Sound Isolating™ Earphones

Accurate + balanced sound

#### SPEAKER

**Dual High-Definition MicroDrivers** 

#### **FEATURES**

- Dedicated single woofer and tweeter per channel for accurate and balanced sound
- Rugged and ergonomic build provides long-lasting comfort and durability for on-stage or everyday use
- Detachable, Kevlare reinforced cable with wireform fit for easy replacement or customization

#### INCLUDES

- Soft flex sleeves (S, M, L)
- Foam sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- Premium carrying case
- 1/4" adapter





long-lasting comfort and durability for on-stage or everyday use

• Detachable, Kevlar<sub>®</sub> reinforced cable with wireform fit for easy replacement or customization

NEW

# FCRCLEARSOUNDAND HGHQUALITYLISTENING CNITHEGO

#### SE112 SE112m+

#### Sound Isolating™ Earphones

Sound Isolating™ Earphones with Remote + Mic Great sound with deep bass

INCLUDES

Carrying pouch

• Soft flex sleeves (S, M, L)

#### SPEAKER

Single Dynamic MicroDriver

- Dynamic MicroDriver for great sound with deep bass
- Sound Isolating™ Design
- Integrated remote + mic with inline controls for most Apple devices\*
- Unmatched personalization and comfort
- Fit Kit and Carrying Pouch included



#### **SHA900**



#### **Portable Listening Amplifier**

Accurate + balanced sound

#### SPEAKER

Premium portable DAC Amplifier with customizable EQ control for use with high-quality headphones and earphones.

#### **FEATURES**

- 4-band Parametric EQ features five preset settings and four customizable settings to maximize audio playback fidelity
- Preset settings include flat, low boost, vocal boost, loudness, de-ess
- Each user-defined setting features four customizable EQ points, allowing detailed personal control, shaping and tuning for different musical tone preferences
- Enhanced Audio Control provides additional user-friendly options to maximize audio playback fidelity
- Selectable digital or analog input signal processing; digital audio input via USB; analog signal path via standard 3.5mm (1/8") "Line In" input/switch
- Bit depth for digital audio input signal processing: 16-bit or 24-bit. 24-bit/96kHz conforms to the High-Resolution Audio standards verified by the Japan Audio Society

#### INCLUDES

- Rubber security bands
- 3.5mm (1/8") Cable, 92cm (36")
- 3.5mm (1/8") Cable, 15.2cm (6")
- Micro-B-to-Lightning Cable 20.3cm (8") •
- Micro-B OTG Cable 20.3cm (8")
- Wall Charger with USB Cable
- 6.3mm (1/4") Adapter
- In-Line Attenuator
- Microfiber Cleaning Cloth

\*Remote + Mic only in SE112m+. Please check compatibility list on www.shure.eu. iPhone, iPad and iPod are a trademarks of Apple Inc., registered in the U.S. and other countries.

**Professional Headphones Open-Back Headphones** 



### WHATARETHEDHTERENCESBETWEEN OPENANDOLOSEDBACKHEADPHONES?

Closed-Back Headphones do exactly as the name implies: isolate au-dio Open-Back Headphones are designed to allow sound out through the from the outside world. Closed-Back Headphones are designed with earcups back of the earcup. The earcups are acoustically transparent. This design that completely enclose the ear preventing sound from leaking in or out. provides exceptionally natural sound, wide stereo image, and increased Their isolating qualities make them a good choice for those listening in noisier depth of field. Open-Back models are the choice for many professional environments, audio engineers and musicians in professional recording engineers who edit, mix and master recordings. applications, or those looking for a completely immersive ex-perience free of outside noise or distraction.



- Open-back, circumaural design for exceptionally natural sound, wide stereo image, and increased depth of field
- Unique steel driver frame design improves linearity, eliminates internal resonance, and ensures consistent performance at all volume levels
- Lightweight and durable dual-frame construction with aircraft-grade aluminum alloy yoke and stainless steel grilles for enhanced durability and hours of listening comfort
- cables with MMCX connectors
- Threaded 1/4" gold-plated adapter
- Zippered hard storage case

Open-Back Headphones

Closed-Back Headphones



SRH**1440** 



#### **Professional Open-Back Headphones**

Designed for mastering and critical listening

#### FEATURES

- Full-range audio with rich, controlled bass from 40 mm neodymium drivers
- Open-back, circumaural design for exceptionally natural sound, wide stereo image, and increased depth of field
- Ergonomically designed, fully adjustable, premium steel-frame padded headband for hours of listening comfort
- Impedance-optimized for direct connection to a wide range of portable audio devices

#### INCLUDES

- Additional pair of velour ear pads
- Dual-exit, detachable cables with MMCX connectors
- Threaded ¼" gold-plated adapter
- Zippered hard storage case



#### SRH**1540**



#### **Premium Closed-Back Headphones**

Designed for audiophile listening

#### FEATURES

- Superior acoustic performance for an expansive soundstage with clear, extended highs and warm bass
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Lightweight construction featuring aircraftgrade aluminum alloy yoke and carbon fiber cap for enhanced durability
- Ergonomic dual-frame, padded headband is lightweight and fully adjustable for hours of listening comfort

#### INCLUDES

- Additional pair of Alcantara® ear pads
- Dual-exit, detachable cables with MMCX connectors
- Threaded ¼" gold-plated adapter
- Zippered hard storage case



## **SRH840 Professional Monitoring Headphones** Optimized for critical listening and professional recording

**SRH940** 



 Accurate frequency response delivers tight bass and smooth, high-end extension, with minimal distortion

**Professional Reference Headphones** 

- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Lightweight, ergonomic fit with premium padded headband for comfortable, extended wear
- Collapsible design with 90-degree swivel ear cups for easy storage and portability
- Bayonet clip securely locks detachable cable into ear cup

#### **INCLUDES**

Designed for critical listening, monitoring and mastering

- Additional pair of velour ear pads
- Detachable coiled and straight cables
- Threaded 1/4"
  gold-plated adapter
- Zippered hard travel case



#### FEATURES

- Tailored frequency response delivers rich bass, clear mid-range and extended highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Wide, padded headband provides ergonomic fit for superior comfort over extended periods
- Collapsible design for convenient portability
- Bayonet clip securely locks detachable cable into ear cup

#### INCLUDES

- Additional pair of ear pads
- Detachable coiled cable

**Closed-Back Headphones** 

- Threaded ¼" gold-plated adapter
- Carrying bag



Closed-Back Headphones

Closed-Back Headphones

#### SRH**440**



#### **Professional Studio Headphones**


Developed for professional and home studios

#### FEATURES

- Enhanced frequency response delivers accurate audio across an extended range •
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Optimized impedance and power handling for performance with professional audio devices •
- Adjustable headband and collapsible construction provide comfort and portability
- Bayonet clip securely locks detachable cable into ear cup

#### INCLUDES

- Detachable coiled cable
- Threaded ¼" gold-plated adapter
- Carrying bag





#### **Professional Quality Headphones**

Ideal for vivid listening on almost any device

#### **FEATURES**

- Wide frequency range delivers full bass and detailed highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Optimized performance for use with most pro and consumer audio devices

#### INCLUDES

• Threaded ¼" nickel-plated adapter







- Enhanced frequency response tuned to deliver high-output bass with extended highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background
- Adjustable, collapsible headband with 90degree swivel ear cups for comfort and easy one-ear placement
- Maximized power handling for DJ mixers
- Bayonet clip securely locks detachable cable

- Additional pair of ear pads
- Detachable coiled cable
- Threaded 1/4" gold-plated adapter
- Carrying bag



Designed for DJ mixing and personal listening

- Full-range frequency response with extended
- Closed-back, supra-aural design for comfort-able, isolating fit
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and flexible wearing positions
- Ultra-lightweight design folds to small size for maximum portability

#### INCLUDES

 Threaded ¼" gold-plated adapter •

DJ Headphones

Carrying bag

#### **Professional Headphones**

Specifications and Accessories



















Model	SRH <b>550DJ</b>	SRH <b>750DJ</b>	SRH <b>240A</b>	SRH <b>440</b>	SRH <b>840</b>	SRH <b>940</b>	SRH <b>1540</b>	SRH <b>1440</b>	SRH <b>1840</b>
DESIGN	DJHEADPHONES		CLOSEDBACKHEADPHONES					OPENBACKI-EADPHONES	
USE	Designed for DJ mixing and personal listening	Engineered for live professional DJ mixing and monitoring	Ideal for vivid listening on almost any device	Developed for professional and home studios	Optimized for critical listening and professional recording	Designed for critical listening, monitoring and mastering	Designed for audiophile listening and professional recording/mastering	Designed for mastering and critical listening	Designed for mastering and critical listening
Specifications									
DESIGN	Closed-Back, Supra-aural	Closed-Back, Circumaural	Closed-Back, Circumaural	Closed-Back, Circumaural	Closed-Back, Circumaural	Closed-Back, Circumaural	Closed-Back, Circumaural	Open-Back, Circumaural	Open-Back, Circumaural
DRWER	50 mm dynamic, neodymium magnet	50 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet	40 mm dynamic, neodymium magnet
SENSITMITY(1 kHz)	109 dB/mW	106 dB/mW	107 dB/mW	105 dB/mW	102 dB/mW	100 dB/mW	99 dB/mW	101 dB/mW	96 dB/mW
MPEDANCE(Nominal, 1 kHz)	32 Ω	32 Ω	38 Ω	44 Ω	44 Ω	42 Ω	46 Ω	37 Ω	65 Ω
MAXINPUTPOWER(1kHz)	3000 mW	3000 mW	500 mW	500 mW	1000 mW	1000 mW	1000 mW	1000 mW	1000 mW
FREQUENCYRANGE	5 Hz – 22 kHz	5 Hz – 30 kHz	20 Hz – 20 kHz	10 Hz – 22 kHz	5 Hz – 25 kHz	5 Hz – 30 kHz	5 Hz – 25 kHz	15 Hz – 27 kHz	10 Hz – 30 kHz
NETWEGHT(w/o cable)	235 g	291 g	238 g	311 g	372 g	322 g	286 g	343 g	268 g
CABLETYPE	Straight, attached oxygen-free copper	Coiled, single-exit, detachable oxygen-free copper	Straight, attached oxygen-free copper	Coiled, single-exit, detachable oxygen-free copper	Coiled, single-exit, detachable oxygen-free copper	Single-exit, detachable oxygen-free copper	Straight, dual-exit, detachable oxygen-free copper	Straight, dual-exit, detachable oxygen-free copper	Straight, dual-exit, detachable oxygen-free copper
CAPLELENGTH	2 m	3 m	2 m	3 m	3 m	Coiled: 3 m <sup>S</sup> traight: 2.5 m	1.8 m	2.1 m	2.1 m
RLIG	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack	Gold-plated 3.5 mm stereo jack

#### Accessories

ADDITIONAL PAROFEARPADS	00			00	00	00	00	00
DETACHABLECABLE	O		O	Ø	$\circ$	$\alpha$	$\Box\Box$	$\mathbb{C} \mathbb{C}$
THREADED14'ADAPTER	 -	(Nickel-Plated)	*	-	-		<b>←</b>	-
HARDSTORAGECASE								
CAFRYNGBAG	(							

#### Sound Isolating™ Earphones

Specifications and Accessories















Model	SE <b>112</b> / SE <b>112</b> m+	SE <b>215</b> / SE <b>215m+SPE</b>	SE <b>315</b> SE <b>425</b>		SE <b>535</b>	SE <b>846</b>	KSE <b>1500</b>
SCUNDSGNATURE	Great sound with deep bass	Detailed sound + enhanced bass	Full range sound	Accurate + balanced sound	Spacious sound + rich bass	Extended high-end clarity + unparalleled low-end performance	Extremely High Correlation to the Source Audio
Specifications							
DRMER			Single High-Definition	Dual High-Definition	Triple High-Definition	Quad High-Definitio	☐ n Single Electrostatic
SENSITMITY(1 kl-tz)	108 db SPL/mW	107 db SPL/mW	116 db SPL/mW	109 db SPL/mW	119 db SPL/mW	114 db SPL/mW	Not applicable
MPEDANCE(Nominal, 1 kHz)	16 Ω	20 Ω / 17 Ω	27 Ω	22 Ω	36 Ω	9 Ω	Not applicable
FRECLENCYRANGE	20 Hz – 17.5 kHz	22 Hz – 17.5 kHz / 21 Hz - 17.5 kHz	22 Hz – 18.5 kHz	20 Hz – 19 kHz	18 Hz – 19 kHz	15 Hz – 20 kHz	10 Hz – 50 kHz
CABLE	Black, fixed 127 cm cable	Detachable 162 / 127 cm cable With wireform fit	Detachable 162 cm cable with wireform fit	Detachable 162 cm cable with wireform fit	Detachable 162 cm cable with wireform fit	Detachable 116 cm and 162 cm cable with wireform fit	Detachable 135 cm cable with wireform fit
Accessories							
SOFTFLEX SLEEVES(S,M,L)	•	•		•	•	•	
FOAMSLEEVES(S,M,L)							
YELLOWFOAMSLEEVES							
TRIPLERLANGESLEEVES					<b>A</b>	<b>A</b>	Ę
LEATHERAMPCASE							
ROAD CASE							
PREVIUM CARRYING CASE							
CARRYINGCASE							
CARRYINGFOUCH							
1/4"ADAPTER				-			
ARLINEADAPTER						ш	C
VOLLMECONTROL							

\*optional

#### Legendary performance™

From professional applications to everyday personal listening, Shure products deliver an unparalleled combination of precision sound and rugged durability that has made them the choice of musicians and music lovers for 90 years.



Europe, Middle East, Africa: Shure Europe GmbH Jakob-Dieffenbacher-Str. 12 75031

United Kingdom, Ireland: Shure Distribution UK Unit 2 The I O Centre Phone: +49 (0) 7262 92490 Fax: +49 (0) 7262 9249114 Email: info@shure.de www.shure

Phone: +44 (0) 1992 703058 Fax: +44 (0) 1992 703057 Email: info@shuredistribution.co.uk www.shure.co.uk